





VINYL ROLLS: exclusive designs // custom made



Examples of «custom made» designs





IMAGINE...

Imagine a floor becoming the MEDIUM OF EXPRESSION that you dreamt of as a child...

Imagine a manufacturer offering you the freedom to invent your own designs by combining the latest digital printing technology with a 3D-effect, creating truly exceptional flooring...


Now you don't have to imagine, thanks to Beauflor's latest creation, MOONLIGHT, a collection of Breathtaking designs, and POP UP, the blank page that you dreamt of, on which you can create your own personalised collections with your own designs.





For this collection, we have given our creative designers all the freedom to generate original designs in a limited edition.

Our exclusive printing technology make our visuals more realistic than ever before!





VISUALISE! Seeing is believing

SCAN THE QR CODES •

linked to each

interior picture


and discover

THE DESIGN FROM

A DIFFERENT ANGLE

































YOUR TURN TO CREATE!

Time to design!



In this collection, you're the one who has complete freedom to create the design you never thought was possible.

Our exclusive high definition printing technology makes your creation come to life.





Let's join forces to create
your personalised
collections

with the new BEAUFLOR
3D digital printing
technology!

WHAT CAN YOU USE THIS FOR?

 The creation of capsule, themed or promotional branded collections designed BY YOU! Your logo HERE

WHAT QUALITY DO WE OFFER?

- Exceptional printing quality (600 dpi)
- STUNNING, RADIANT AND VIBRANT COLOURS, reproducing any colour or image in high definition

AND WHAT'S MORE, IT'S SO SO EASY!

3 possibilities:

 Start with an IDEA or INSPIRATION: the BEAUFLOR creative team will bring YOUR DESIGN to life.

We have the expertise and technology to prepare your creation for high definition print production

- Start with MATERIAL that we can scan (scanning surface: 120 x 200 cm)
- Start with an IMAGE you provide:
 - Vector image: .svg or .eps format
 - Or non-vector image: .pdf or .tiff format
 - Resolution: minimum 300 dpi

Time to design!



repeat: there is no limit to your design or creation

- ALMOST ALL colours, textures and patterns are possible
- in sync with your design or not
- UNIQUE CUSTOM
 MADE DESIGNS
 AT SMALL
 ORDER QUANTITIES

Be creative, show your customers high impact creations, make the difference and stand out from the crowd

NOTES

	 	 •••••
	 	 •••••
• • • • • • • • • • • • • • • • • • • •	 	









Product Information*

Static Electrical Propensity

EN 1815

Product Information*				
Norm	EN ISO 26986			
Intensity of use	ISO 10874 (EN 685)		23 Domestic heavy 31 Commercial moderate	class
Total Thickness	EN ISO 24346 (EN 428)	×	2,50	mm
Wearlayer	EN ISO 24340 (EN 429)	$\stackrel{\times}{\Longrightarrow}$	0,25	mm
Abrasion group	EN 660-2	2	Т	class
Total weight	EN ISO 23997 (EN 430)		1500	g/m²
Standard width	EN ISO 24341 (EN 426)		2 and 4	m
Standard length	EN ISO 24341 (EN 426)	3	+/- 25	m
Technical Information*				
Dimensional stability	EN ISO 23999 (EN 434)	רא א	≤ 0,40	%
Curling	EN ISO 23999		≤ 8	mm
Light stability	EN ISO 105 B02	F	≥ 6/7	degree
Residual indentation	EN ISO 24343-1 (EN 433)		≤ 0,35	mm
Impact sound improvement	EN ISO 717/2		ΔLw 16	dB
Dynamic coefficient of friction	EN 13893	96	> 0,6	
Slip resistance (ramp test with oil)	DIN 51130	RIO	R10	scale
Reaction to fire Report number VNLF 031380.4	EN 13501-1	B ₀ -11	Bfl-s1	class
Underfloor heating	EN 12667	(1.05.0) (0.00760)	Suitable	
Thermal resistance	ISO 8302		0,027	m²K/w
Thermal conductivity	EN 12524	=	0,09	W/m.K
Chemical resistance	ISO 26987 (EN 423)	₩	Resistant	

< 2kV

Features

















EN 14041 ϵ 05 DOP: 450-TC0013-1 B.I.G. Flooring nv, Rijksweg 442 B - 8710, Wielsbeke, BELGIUM








· No heavy metals

Environment











100% phthalate free *for all products produced from May 2017 onwards

This is illustrative by the choice of raw materials, of partners, of transport and of fabrication processes. Our selection of core materials is based on a combination of our clients' requirements for a quality product as well as requirements for a minimal impact on the environment. We are the leaders in terms of the implemen-tation of clean renewable energy sources and we actively work towards the constant improvement of energy saving.



On concrete







^{*} Please note that the data given could be imprecise and liable to modifications of a technical nature at any time. The information in these documents is valid from 01/01/2017 and Beauflor reserve the right to make changes at any moment and without prior notice. Our technology is constantly evolving, so before carrying out any projects we encourage you to contact us to maintain our highest level of standards.

^{**}Our products are classified as A+ for the emission of volatile substances in inside air (compulsive sanitary labelling in France since January 2012).



B.I.G. FLOORCOVERINGS NV

Rijksweg 442 BE - 8710 Wielsbeke Belgium Tel. +32 (0) 56 67 66 11

e-mail: beauflor@bintg.com